

This website uses third-party cookies in order to obtain statistical data about browsing. If you continue browsing, it is understood that you accept the use of such cookies. For further information or to find how to change your cookies settings, please consult our [cookies policy](#)


MANTER

COATED 80 TT-3N CC62
80300T5107

Edit: 16

Approval date: 29-09-2014

Belongs to the collection:
NEW Industrial & Synthetic Collection



Front Label	
Reference	COATED 80
General characteristics	White coated, calendared, woodfree paper.
Grammage (gr/m2) ISO 536	80
Thickness (µm) ISO 534	65
Gloss 75° (%) TAPPI T480	>64
Dry opacity (%) ISO 2471	88

Additional information

Not recommended for labelling curved surfaces with small diameters.

Uses and applications

Multipurpose labels for industrial use

Shelf life

1 year, under storage conditions as defined by FINAT section 2.5 (20-25°C, 40-50% RH)

Adhesive	
Reference	TT-3N
General characteristics	Super permanent hot-melt adhesive. Good adhesion to a wide variety of substrates and to non-polar surfaces. Designed for applications where very high initial adhesion is required. Excellent behaviour in runnability and labels converting. The research centre ISEGA has given the adhesive approval according to the European requirements for direct contact with dry and moist, non-fatty foodstuffs. The raw materials meet composition requirements of indirect food additives regulation FDA-21-CFR-175.105 "Adhesives".
Tack (N) glass FTM-9	>10
Cohesion (h) 1kg FTM-8	>6
Labelling temperature (°C)	>0°C
Usage temperature (°C)	-40°C/+60°C

Support	
Reference	CC62
General description	Supercalendered glassine paper, cream.
Grammage (gr/m2) ISO 536	60
Thickness (µm) ISO 534	50
Transparency (%) ISO2469	48
Tensile strength MD/CD (KN/m) ISO 1924	MD(KN/m) >5,2 - CD (KN/m) >2,1

The technical specifications given are general in nature and based on our knowledge, for which reason the suitability of our products for the end use to which they are put cannot be guaranteed. It is the purchaser's responsibility to assess, test and

ensure the suitability of each product for their end use through their own prior approval process. Manter cannot therefore be held responsible for unsuitable end use of its products. These technical product specifications supersede all previous editions. All information is subject to change without prior notice.